



# G.D.I.

*Tools*



## Professional Tools & Accessories

# Table of Contents



**Knives**

**Page 2**



**Hard Cards**

**Page 10**



**Blades**

**Page 3**



**Meters**

**Pages 11-13**



**Scrapers**

**Page 4**



**Mark, Trim & Measure**

**Page 14**



**Handled Squeegees**

**Pages 5-6**



**Installation Accessories**

**Page 15**



**Tube Squeegees**

**Page 7**



**Sprayers & Cleaning Supplies**

**Pages 16-17**



**Squeegee Essentials**

**Pages 8-9**



**Slitters**

**Page 18**



**GT227**



**GT127**



**GT126**



**GT226**



**GT114**



**GT124**



**GT264**



**GT944**

### **GT227 Olfa XA-1 Ergonomic Knife**

This ergonomically correct knife features a comfortable rubber grip for better control and less fatigue.

### **GT127 Olfa "A" Knife**

Used for film pattern cutting and trimming. Features a molded plastic handle for maximum control and comfort. Right or left hand use.

### **GT126 Olfa "Silver" Stainless Steel Knife**

The original Olfa stainless steel.

### **GT226 Olfa "Silver" 2 Auto-Lock Knife**

Significantly improved over the original "Olfa Silver." Features right or left-handed use, blade position auto-lock, and one-segment click-action.

### **GT114 Olfa Pro-Load**

Holds up to five blades at a time giving you 65 new cutting segments per load.

### **GT124 Plastic Utility Knife**

Used for film pattern cutting and trimming.

### **GT264 KDS L-22 Gripfit Autolock**

Heavy-duty knife with comfortable grip and breakaway points for use with security films 7 mil or greater.

### **GT944 Automotive Glass Edge Trimmer**

Ensures precise "micro-edge" on roll down windows

**\*\*Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

**Note: All Knives are packaged with Carbon Blades except for the GT126 and GT226, which include a stainless blade.**

### **GT027 NT Pro A-1 "Red Dot" Knife**

Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control. Right or left hand use.

### **GT026 NT Injector Cartridge Knife**

Used for film pattern-cutting and trimming. Holds five blades for automatic blade replacement capabilities.

### **GT984 NT A-1000RP Knife**

Cartridge cutter with aluminum die-cast grip. Cartridge holds up to 5 blades.

### **GT1018 NT A250RP Knife**

Chemical-resistant and heat resistant polypropylene grip. Ratchet Auto-Lock slider locks blade in place while cutting. For use left or right handed.

### **GT1019 NT L500GRP Heavy Duty Knife**

NT heavy duty knife with ratchet auto-lock slider which locks the blade into place while cutting. Blade storage in handle. Use with 7 mil or greater films.

### **GT111 Auto Lock 8pt. Knife**

Heavy-duty knife with breakaway points for use with security films 7 mil or greater. Blade storage in handle.

### **GT128 Ceramic Safety Film Cutter**

Designed to deliver rapid, precise cuts for thick gauge safety films. It is intended for precision pre-cutting on flat, square-edged tables.

**\*\*Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

**Note: All Knives are packaged with Carbon Blades except for the GT126 and GT226, which include a stainless blade.**



**GT027**



**GT026**



**GT984**



**GT1018**



**GT1019**



**GT111**



**GT128**

Knives

Knives

Knives

Knives

Knives

Knives

2



**GT116**



**GT262**



**GT115**



**GT266**



**GT265**



**GT123**



**GT263**



**GT112**



**GT1007**



**GT131**



**GT116** Olfa Stainless Steel Snap Blades  
Pack of 50

**GT262** KDS S.S. - Flat Glass/PPF Blades  
Pack of 50

Ideal for flat glass and paint protection films

**GT115** Olfa Stainless Steel Snap Blades  
Pack of 10

**GT266** KDS S.S Flat Glass/PPF Blades  
Pack of 10

Ideal for flat glass and paint protection films

**GT265** KDS S.S Automotive Blades  
Pack of 50

**GT123** Olfa Carbon Snap Blades, Pack of 50  
Note...these are NOT stainless steel.

**GT263** KDS Powerblack 8pt Blades -Pack of 50  
Ideal for thicker films, 7 mil or greater. Fits GT111, GT264 & GT1019

**GT112** Olfa UltraMax 8pt Blades - Pack of 50  
Replacement blades for GT111, GT264 & GT1019 heavy-duty knives. Triple-honed for extremely sharp edge. Ideal for cutting thick films, 7 mil or greater.

**GT1007** 4" Scraper Blades  
Carbon, Pack of 100

**GT131** 8 Point Blades - Pack of 5  
Replacement blades for GT111, GT264 or GT1019

**\*\*Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

**GT108** 6" Triumph Carbon Scraper Blades,  
Pack of 25

**GT108SS** 6" Triumph Stainless Steel Blades  
Pack of 25

**GT140-12** #12 Single Edge 1" BLD.  
#12 scraper blade. A thicker version of the popular #9 blade.

**GT110** Heavy Duty Triumph Blades - Carbon  
Pack of 10  
Replacement blades for GT106

**GT1020** NT Stainless Steel Snap Blades  
Pack of 50

**GT211** 3" Triumph Blades - Carbon, Pack of 10

**GT105** 4" Scraper Blades - Carbon, Pack of 10

**GT1021** BL50P  
Heavy duty NT blades for use with the GT1019, GT111, & GT264 knives.

**GT139** Plastic Razor Blades  
Perfect for removing adhesive and leftover film from surfaces that can be easily damaged, such as rear window defrosters or other sensitive glass surfaces. Pack of 100 blades.

**GT140** Single Edge Blades - Carbon, Pack of 100

**GT137** Stainless Steel 1" Single Edge Blades  
Pack of 100

**\*\*Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**



**GT108**



**GT108SS**



**GT140-12**



**GT110**



**GT1020**



**GT211**



**GT105**



**GT1021**



**GT139**



**GT140**



**GT137**



**GT983 6" Ergonomic Triumph Scraper**

**GT983A 6" Angled Ergo Triumph Scraper**

**GT107 6" Triumph Scraper**

**GT107A 6" Angled Triumph Scraper**

**GT107PC 6" Triumph Scraper with Slide Cover**  
This is the new and improved version of the slide covered Triumph. With a bigger button and smoother action, the cover easily opens and closes with no hassle. No more fumbling with a separate blade cover, which is safer and more convenient, especially when doing ladder work. Great for regular window cleaning, but not recommended for stripping off old film.

**GT106 Red Heavy Duty Scraper**  
Ideal for film removal. Uses GT110 Heavy Duty Triumph Blades.

**GT1023 ALLPRO 4" Stripper**  
This 4" scraper has an adjustable head as well as an adjustable knob for two handed use. Blades can be stored inside the handle.

**\*\*Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

**Note: All scrapers are packaged with carbon blades**

**GT212 1" Blade Ade**

**GT210 3" Triumph Scraper**  
Smaller version of the regular Triumph. Designed to fit perfectly into corners

**GT109 1" Clip Scraper**

This effective scraper will accomodate standard or stainless steel single edge blades as well as GT139 plastic razor blades

**GT109S 1" Clip Scraper w/Thumb Screw**

**GT1024 ALLPRO Mini Scraper**  
1" mini scraper with slip resistant grip.

**GT138 Heavy Duty 1" Razor Scraper**  
Retractable safety scraper, intermediate blade position keeps the blade from sliding out while in use

**GT103 4" Scraper with 6" Handle**  
The GT103 allows for maximum leverage and speed when removing large areas of existing film.

**GT104 4" Scraper with Extended Handle**  
Longer handle allows for even more leverage than the GT103 scraper.

**GT994 Big Blade (3" x 4")**  
Jumbo Size Plastic Razor Blade perfect for cleaning & film removal

**\*\*Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

**Note: All scrapers are packaged with carbon blades**



Scrapers

Scrapers

Scrapers

Scrapers

Scrapers

Scrapers



**GT057****GT058****GT208****GT207****GT1006****GT1005****GT1022****GT985****GT057 5" Crusher Handle****GT058 8" Crusher Handle**

These handles are designed to optimize your leverage in removing mounting solution. Holds GT257, GT258 or GT259 squeegee blades. The GT057 is great for high performance automotive films and smaller residential windows, while GT058 is ideal for all residential and commercial applications. Holds GT257, GT258 or GT259 (pic on page 8)

**GT208 Side Swiper without blade****GT207 Side Swiper**

Use GT118-6 as a replacement blade

**GT1005 Thor's Hammer**

Used for 6-mil+ safety film installations, and final pass on slow drying thin films. (Flat Glass Applications). GT117C replacement blade used.

**GT1006 Thor's Hammer Jr.**

Used for 7-mil+ auto safety film installations; for maximum water removal to eliminate "champagne bubbling" during thick film installations. (Automotive Applications). GT117C replacement blade used.

**GT1022 Stroke Doctor****GT985 Performax Handle**

Ideal for water extraction when used with GT117, GT117B, GT203 or GT257. Features socket that accepts standard extension handles such as broom or paint roller extensions. This allows installers to get more leverage. For even more leverage, use GT030 Motus D Grip found on page 15.



*Tool Tip:* For maximum solution removal, try the GT057 with a GT117A or GT203A.

**GT053** 6" Squeegee & Channel  
**GT054** 8" Squeegee & Channel  
**GT055** 12" Squeegee & Channel  
**GT056** 18" Squeegee & Channel

Stainless steel channel and soft rubber squeegee blade insert for use with the Unger Pro Handle (GT050). Used in the flat glass cleaning process and in the final cleanup after the film installation to remove soap streaks or smudges.

**GT045** 140" Squeegee Blade  
**GT048** 12" Squeegee Blade  
**GT049** 18" Squeegee Blade

Replacement blades for Unger squeegee channel, used for window cleaning, not installation.

**GT118 Blue Squeegee Refill (6, 8, 12, 18 or 144" roll)**

Used in the GT053-056 as a finishing squeegee for maximum water removal. Replacement Blade for GT207.

**GT050E Unger ErgoTec Handle**

Features a spring mechanism for quick blade changing and a finger indent on top of handle for complete control. For use with GT053-056 channels with black rubber for cleaning or blue replacement blades (GT118) for installation.

**GT205 The Bulldozer I - Automotive**

Allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 6" squeegee blade and is 15" in overall length.

**GT206 The Bulldozer II - Flat Glass**

Features reinforced ribs on the back side for extra rigidity and leverage. Includes 6" squeegee blade and is 15" in overall length.

**GT209 The Scrubber**

Used to reach behind speakers and brake lights. Scrub away adhesive along the bottom edges of sloped rear windows. Uses replaceable standard White Scrub Pads GT085 cut 2" x 3". This tool is 3" by 15" long.

**GT053,  
GT054,  
GT055,  
GT056****GT045,  
GT048,  
GT049****GT118****GT050E****GT205****GT206****GT209**

**GT042****GT069****GT041****GT059****GT061****GT063****GT062****GT064****GT042 8" Silver Security Squeegee**

Comfortable, ergonomic handle is designed especially for security film installation. Curved handle applies more pressure to surface, reducing fatigue and ensuring easier, better installations. Blade is replaceable with either the Security Squeegee (GT041), Flatfoot (GT059) or Pro Squeegee (GT061) blades.

**GT041 8" Silver Security Squeegee Replacement Blade****GT069 6" Flatfoot Squeegee Blade**

Flatfoots are specially angled blades for the Pro Squeegee. The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro blade with a square edge.

**GT059 8" Flatfoot Squeegee Blade**

Flatfoots are specially angled blades for the 8" Pro Squeegee (GT064). The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro blade with a square edge.

**GT061 8" Pro Squeegee Blade**

Replacement blade to 8" Pro Squeegee (GT064) used as a means of removing application solutions from beneath the film during the installation of all flat glass film types.

**GT063 6" Pro Squeegee Blade**

Replacement blade for the 6" Pro Squeegee (GT062) used as a means of removing application solutions from beneath the film during the installation of all flat glass film types.

**GT062 6" Pro Squeegee Deluxe**

An installation squeegee as a ready-to-use assembly. Used to remove application solution from beneath the film during the installation of all flat glass film types.

**GT064 8" Pro Squeegee Deluxe**

An installation squeegee as a ready-to-use assembly. Used to remove application solution from beneath the film during the installation of all flat glass film types.

**GT122 Blue Max Squeegee with Handle**

New and improved handle makes this installation squeegee a must have. This unit is sold as a complete set with the GT117A only. The handle is not sold separately.

**GT117 Blue Max 5" Hand Squeegee****GT117B Square Blue Max 5" Hand Squeegee**

Ideal for installing security film. For extra leverage, use a GT050 with a GT030 Motus D Grip Handle found on page 15

**GT117A Angled Blue Max 5" Hand Squeegee**

Installation squeegee for automotive and flat glass applications. Harder than GT203, these tools are excellent for water evacuation.

**GT204 Super Clear Max Squeegee with Handle**


New and improved handle makes this installation squeegee a must have. This unit is sold as a complete set with the GT203A only. The handle is not sold separately.

**GT203 Super Clear Max Squeegee Blade****GT203A Angled Super Clear Max Squeegee Blade**

Softer version of the Blue Max Squeegee, more flexible for back window installations.

**GT050 Unger Pro Handle**

This rubber-coated squeegee handle works with many different squeegee blade attachments: Clear Max, Blue Max, Blue Squeegee Blade and of course the regular squeegee blade with the soft rubber insert (for glass prep) in the stainless steel channels. Essential tool for glass cleaning and for using the special higher durometer finishing squeegee blades.

**GT117C Square Blue Max-Narrow Replacement Blade for GT1005 or GT1006****GT122****GT117****GT204****GT117B****GT203****GT117A****GT203A****GT050****GT117C**

Handled Squeegees

Handled Squeegees

Handled Squeegees

**GT119** ★



**GT120** ★



**GT121** ★



**GT146** ★



**GT144** ★★★★★



**GT150**

★★★



**GT119** 4" Black Smoothie Tube Squeegee

**GT120** 9" Black Smoothie Tube Squeegee

**GT121** 28" Black Smoothie Tube Squeegee

**GT146** 28" Black Smoothie Blade Only

Squeegee tool used for glass cleaning, sometimes called the "Smoothie." Economy size (28") usually cut to shorter 4-5" lengths before use.

**GT144** 20" Blue Turbo Blade

**GT150** Red Turbo Squeegee

Used for removal of application solution during the installation process. Also used for paint protection film installations.

Durometer Legend:



**GT235** 5 1/2" Yellow Turbo Squeegee

**GT236** 5 1/2" Yellow Turbo Squeegee Blade

An installation squeegee used to remove application solution from beneath the film during installation of all auto films.

**GT145** 18 1/2" Yellow Turbo Squeegee

**GT147** 18 1/2" Yellow Turbo Squeegee Blade

Economy size squeegee usually cut to shorter 4-5" lengths before use. Used for removal of application solution during the installation process.

**GT152** 5" Red Turbo Blade

Great for Paint Protection Films

Durometer Legend:



**GT235**

★★



**GT236**

★★



**GT145**

★★



**GT147**

★★



**GT152**

★★★





**GT040****GT043****GT044BLU** ★**GT044RED** ★★**GT044BLK** ★★★**GT091****GT033****GT092****GT040 Slim Foot**

Modeled after the Big Foot Squeegee, the slim foot has a slender design that can reach into tighter openings. This no rib squeegee helps reach behind break lights and has a vinyl grip for secure handling.

**GT043 Big Foot**

Designed to reach curved back glass windows. This 6" squeegee with a 12" handle allows the installer to apply the necessary pressure in those tight rear window areas. This is a must for every installer's tool box.

**GT044BLU Little Foot Blue****GT044RED Little Foot Red****GT044BLK Little Foot Black**

This squeegee measures about 6" (15 cm) along the usable edge. The pointed edge of this tool allows the installer to squeegee in very tight areas. The Little Foot has plenty of room to keep a good grip on the squeegee.

**GT033 Red Devil Squeegee**

Flexible squeegee that is great for tight corners and maneuvering around gaskets.

**GT091 Slammer**

Used for cleaning corners and along gaskets, wicking water out along borders and easily reaches rear windows and sharp angled corners.

**GT092 Shuttle**

A hard card with the ability to reach into tight areas located at the bottom edge of rear window glass.

**Durometer Legend:****GT148** Block Squeegee, Plain 6"**GT149** Block Squeegee, Plain 12"**GT202** The Conqueror**GT202B** Blue Conqueror

Same as the original Conqueror GT202 with a slightly harder durometer for more squeegeeing power.

**GT254** Power Stroke Blue**GT255** Power Stroke Red**GT256** Power Stroke Yellow

Blue has a durometer for the ultimate in moisture removal, especially for sputtered films. Red is great for final pass on metal films. Yellow works well with dyed films and first pass on metal films.

**GT1000** MACTAC Felt Squeegee  
Recommended for Paint Protection Installations

**GT1010** 3M Wet or Dry Squeegee  
Recommended for Paint Protection Installations

**GT995** White Knight Squeegee  
Large squeegee with narrow handle allowing for better reach

**GT257** 5" Orange Crush**GT258** 5" Cropped Orange Crush**GT259** 8" Orange Crush

These blades help expel water from under film while keeping its strength. The 5" Cropped Orange Crush conforms to curved glass. Blades can fit into a handled grip (GT057, GT058) or be used alone.

**GT148****GT149****GT202** ★**GT202B**

★★

★

★★

★★★

**GT254-256****GT1000****GT995****GT1010****GT257****GT258****GT259**

**GT032Y** ★★




**GT032G** ★


**GT067**



**GT1025PLT** ★★★



**GT066**



**GT1025W** ★★

**GT1025Y** ★



**GT034**



**GT068**



**GT036**



**GT038**

**GT113 Green** Green Diamond Tip

**GT113 Red** Red Diamond Tip

**GT113 White** White Diamond Tip

**GT113 Yellow** Yellow Diamond Tip

These 5" cards have angled corners that allow installers to reach into tight corners making it a great tool for automotive and flat glass applications.

**GT201G** Green Contour (Soft)

**GT201Y** Yellow Contour (Firm)

**GT201PLT** Platinum Contour (Hard)

**GT200 GLD** EZ Reach Gold

**GT200 PLT** EZ Reach Platinum

**GT151Y** Yellow Quick Foot

**GT151B** Blue Quick Foot

**GT151W** White Quick Foot

Great automotive tools for those hard to reach places.

Durometer Legend:



**GT032Y** Tail Fin Yellow (Firm)

**GT032G** Tail Fin Green (Soft)

Great for getting behind brake lights and back window applications.

**GT067** Clear Super Squeegee, Small 3"

**GT1025Y** Quick Fix-Yellow

**GT1025W** Quick Fix-White

**GT1025PLT** Quick Fix-Platinum

Card squeegee with good angles that extend your area for better manipulation. Great for getting behind gaskets and rubber seals.

**GT066** Clear Super Squeegee, Large 6"

**GT034** Whale Tail

Great for getting behind brake lights and back window applications.

**GT068** Hard Card Sharpener

**GT035** Whale Tail Replacement Blade (not pictured)

**GT036** Whale Tail Replacement Handle

**GT038** Clear Super Squeegee, Extra Large 12"



*Tool Tip:*

Try the softer GT032G for paint protection installations



★ ★★ ★★★★★ ★★★★★★

**GT113 Green, Red, White, Yellow**



**GT201G** ★



**GT201Y** ★★



**GT201PLT**

★★★★

**GT151W** ★

**GT151B** ★★

**GT151Y** ★★★★★

**GT200**

★★★★



**GT200 PLT**

★★★★★





**GT086BLU** Blue Hard Card Squeegee

**GT086** White Hard Card Squeegee

**GT086BLK** Black Hard Card Squeegee

**GT086PNK** Pink Hard Card Squeegee

**GT086GLD** Gold Hard Card Squeegee

**GT086PLT** Platinum Hard Card Squeegee

**GT086 PURPLE** Purple Hard Card

**GT086-6Y** 6" Yellow Hard Card Squeegee

**GT086-6W** 6" White Hard Card Squeegee

**GT086-6B** 6" Black Hard Card Squeegee



**GT087** Yellow Lidco Squeegee

**GT079** 4" 3M Gold Squeegee

**GT087Gray** Gray Lidco Squeegee

**GT087-6 GRAY** 6" Gray Lidco Squeegee

**GT099** Universal Squeegee

**GT080** 4" 3M Blue Squeegee

**GT088** Bondo Squeegee

**GT083** Lil' Chizler



**GT087** ★



**GT079** ★★



**GT087 Gray** ★★



**GT087-6 Gray** ★★



**GT099** ★★★



**GT080** ★



**GT088** ★



**GT083** ★★★



## GT978



## GT963



## GT972



## GT962



### GT978 Laser Thermometer

Reads temperatures of solid surfaces, best when used within three feet of surface. Demonstrate difference once window film is applied to glass with new reading of solid surface. Not to be used on glass.

### GT963 U.V. Light Source Lamp

Excellent tool to demonstrate, measure or show how much U.V. window films keep out.

### GT972 Digital Tape Measure

This compact meter uses a narrow beam to measure distances instantly, even through door openings and in crowded rooms.

### GT962 Heat Lamp Unit

Great tool for tabletop presentations.



## Tool Tip:

For sales performed during the sunny part of the day, point the GT978 temperature gun at furniture and other valuables to actively demonstrate how much heat is being added to the house due to the sun's heat rays and explain the damaging effects this can have.

### GT960 Low-E Coating Detector

Detects the presence and location of thermal resistant coatings (LOW-E) used on energy efficient single and dual pane glass. Never requires calibration. Powered by a 9-Volt alkaline battery (included)

### GT961 Insulated Glass Thickness & Gap Gauge

Used to measure glass and air space thickness in sealed insulating glass units. Laser reflections off the surfaces of glass appear on the graduated scale of the gauge allowing you to easily determine the thickness of the glass, plus the air space separating the pieces of glass in a sealed IG assembly. Powered by two standard AAA alkaline batteries. (included)

### GT969 Toughened Glass Indicator

Used to determine which, if any, panes in a window unit are heat-treated. Knowing this allows use of films that would otherwise be inappropriate on regular annealed glass. Full set of user instructions and leather case included.

### GT975 Strengthened Glass Detector

Allows users to confirm if glass has been strengthened. The detector can test single panes of glass or multiple panes in a window at a single time, and from a single side. As a bonus, the SG2700 detector can even identify the thickness of the first piece of glass in the window.

### GT966 V.L.T. and Power Meter

The GT966 shows the performance of your film and proves to your customer that your product reduces fading by controlling visible light. It calculates visible light transmission percentages, power readings (W/m2), measures visible light spectrum (400-700 NM), and includes a digital thermometer in Centigrade and Fahrenheit. Powered by a 9-volt battery (included)



## GT960

## GT961



## GT969



## GT975



## GT966



**GT973**



**GT964**

**GT977**



**GT967**



**GT968**

### **GT974-SOFT Professional Meter Sales Kit With Soft-Sided Case**

Our UV & Solar Sales Presentation Kits offer a single source for convenient and convincing sales demonstrations. The kits include locations for glass samples, digital meters, lamps, product literature & more. Show your customer performance numbers they understand, by using our simple Solar Transmission GT968 and UV Transmission GT973 Meters. This demonstration **WILL SELL** your customers because it operates in terms they can understand. A popular optional item that may be added to the kit is the GT978 Laser Thermometer.

Kit Includes:

GT968 Digital BTU & Trans-Meter

GT962 Heat Lamp Unit

GT973 UV Meter

GT963 U.V. Light Source Lamp

Soft Case with Strap

Optional GT978 Laser Thermometer

**Note: GT976 Glass samples NOT included in kits**

### **GT971 Soft Case For Meters**

### **GT997 PR33400 Beamsplitter Pro**

Three real-time measurements. Perfect for large scale presentations.

### **GT976 Glass Sample Set**

Conduct your sales demonstration effectively by including glass samples to help illustrate the benefits of film over standard glass.

Includes 2 clear single pane, 2 clear IG and 2 low-E sets.

### **GT996 AE4600 Solar Gain Low-E Detector**

Professional state-of-the-art meter that detects the surface of Low "E" and ranks the SHGC (low,med,high)

### **GT973 UV Sentry Meter**

Position the meter facing the UV source, such as sunlight or a heat lamp (GT962), and turn the meter on. Place various materials between the meter and the UV source and the resulting UV Transmission percentage will be displayed.

### **GT964 U.V. Meter with temperature**

This meter gives UV transmission percentages, UV power, and temperature. The GT964 is the most versatile product available for measuring UV. You can measure UV intensities (irradiance), UV Transmission %, and temperature in Fahrenheit and Celsius. Unlike other UV products on the market, the GT964 is extremely simple to operate. The digital display is continually updated with real-time readings. The GT964 is powered by a 9 volt battery (included).

### **GT977 UV & Solar Dual Transmission Meter**

Combines the popular features of the GT973 & GT968 into one simple to use meter.

### **GT967 Digital BTU Meter**

This wide spectrum digital meter measures solar radiant energy intensity directly transmitted through glass (or the film-glass combination) in units of BTUs per square foot per hour or watts per square foot. Effective tool showing the relative effectiveness of various films in blocking solar radiant heat. Especially useful for showing how a very dark dyed film may allow far more energy to pass through than a much lighter metallic film.

### **GT968 Digital BTU & Trans-Meter**

Use this meter to evaluate solar performance. It provides excellent resolution, reading low light conditions more accurately than competitors, with no need for adjustments. The easy to read digital display toggles between power and transmission percentage mode. It's small, portable, and convenient to take out in the field.



**GT974 Soft**



**GT971**



**GT997**



**GT976**



**GT996**

**Note: Not all items pictured are included in kits**

Meters

Meters

Meters

Meters

Meters

Meters

Meters



**GT982**

**Ultraviolet  
Measurement**



**Visible Light  
Measurement**



**Infrared  
Measurement**



## GT982 Spectrum Detective Meter

Effortlessly demonstrate three performance characteristics at a time: UV, Visible, and Infrared transmission values.

The Spectrum Detective shows your customer performance numbers they can understand and proves to them that your "high performance" window films are worth their investment. Simply slide the glass sample into the opening and see the resulting values displayed. No additional light sources are needed. Everything is self-contained in a single convenient package.

**Note: Glass samples not included**



*Tool Tip:*

The GT982 Spectrum Detective is ideal for in home demonstrations to illustrate the effectiveness of window film to reduce fading. It will show the reduction of the top three factors that cause fading: Ultraviolet Light, Visible Light and Heat.

## GT174 Pocket Detective Meter

Measures visible light transmission and visible light reflectivity on fixed windows.

## GT175 Pocket Detective 2.1 Base

Used to measure visual light transmission on roll down windows.

## GT992 LaserLabs M100 one piece meter

Used to measure visual light transmission on roll down windows

## GT993 LaserLabs M200 two piece meter

Measures Visible Light Transmission on fixed windows.



*Tool Tip:*

To ensure a legal installation, be aware that the visible light transmission of the factory glass must first be taken into consideration. To determine if the completed installation will be within the legal limits, measure the glass without film, then multiply that figure by the visible light transmission of the film.

## GT174



**GT175**



**GT992**



**GT993**





**GT991**



**GT990**

**GT157,  
GT158,  
GT159**



**GT981**



**GT078-75**



**GT078**

**GT157** 1/2" Black Out Tape - 150' Roll

**GT158** 1" Black Out Tape - 150' Roll

**GT159** 1 1/2" Black Out Tape - 150' Roll

**GT990** 3/8" Red Film Tape

**GT991** 1" Red Film Tape

**GT981** Do Not Roll Down Stickers (1000 per roll)

Features low-tack adhesive

**GT078** 1 1/2" Black Acrylic Felt - 50' Roll

Helps reduce scratching of automotive films on some vehicle roll down windows.

**GT078-75** 3/4" Black Acrylic Felt - 50' Roll



*Tool Tip:*

Application of Felt tape has become a popular solution to the familiar "scratching" problem on certain vehicles.

**GT075 Yellow Film Marker**

Handy for 3 basic purposes: a) marking film prior to installation of windows with unusual shapes (arches, trapezoids, etc.) which must be cut to approximate shape before the final "lay-up;" b) circling a contaminant (hair or fiber) before pulling back the film to remove it; c) marking film edges to check for glass movement on side roll-ups during the trimming process. Yellow grease mark easily wipes away.

**GT076 Film Opaquer Pen - Thin Point**

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.

**GT077 Film Opaquer Pen - Broad Point**

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.

**GT187 12" Triangle 45/90 degrees with Circle Templates**


**GT186 8" Triangle 30/60 degrees w/Circle Templates**

**GT183 18" Straight Rule**

**GT182 36" Straight Rule**

**GT188 Windshield Wizard**

Allows for quick and accurate trimming around rear-view mirror mounts



**GT075**

**GT076**

**GT077**

**GT182**

**GT187**

**GT183**

**GT186**

**GT188**

**GT030**



**GT132**



**GT191**



**GT190**



**GT190 White**



**GT135**



**GT134**



**GT130**



**GT030** Motus D Grip Handle

**GT132** Hook Tool

**GT191** The Edge Tool  
Used to pull back gaskets.

**GT190** 5-Way Trim Guide

**GT190 WHITE** White 5 Way Trim Guide

**GT135** BLADEater

Designed for professional installers, the BLADEater holds your knife safely and securely, and allows you to easily snap and discard blades into the replaceable well

**GT134** BLADEater Replacement Well

**GT130** Gasket Wizard

This device is used to carefully pull back gaskets for easy film-to-glass installations below the gasket. Rub rails are located at the base of all automotive door window glass and are used for weatherproofing the openings between the glass and the door structure. Many installers find the Gasket Wizard helpful, even without the use of the bungee cords.



*Tool Tip:*

In addition to a trim guide, the GT190 5-Way Tool is also an effective squeegee, especially when wrapped with a paper towel or cloth to absorb moisture along the border of the film.

**GT921** Jiffy Steamer Film Remover  
(120 Volt Use)

The Jiffy Steamer is a commercial steamer, impact resistant, 1300 watt heating element, heats up in 2 minutes with 2 hours of steaming per filling. Great for removing film and adhesive off back windows.

**GT979** Kevlar Heat Gloves (Pair)

**GT194** Gasket Push Stick

**GT176** Waist Apron


**GT251** Wagner HT3500 Digital Heat Gun  
(120 Volt Use)

This model allows you to heat shrink in low or high fan speeds and has a variable temperature setting to fine tune the amount of heat needed for a specific application.

**GT250** Wagner Heat Gun (120 Volt Use)

**GT1004** OLFA DC4 Blade Disposal

Blade disposer that can be emptied and re-used.



*Tool Tip:*

The GT921 Jiffy Steamer will help prevent damaging defroster lines when removing film from rear windows. Besides making life easier, the GT921 will pay for itself in just a few jobs when you consider the considerable time savings.

**GT194**



**GT979**



**GT176**



**GT1004**



**GT921**



**GT251**

**GT250**





**GT090**

**GT101N**



### **GT090 Spraymaster Trigger Sprayer**

An overall heavy duty one quart sprayer, this spray bottle comes with a 5 year warranty and is chemically resistant. It is equipped with a strong trigger and holds 32 oz.

### **GT097 32oz. Bottle**

### **GT098 Adjustable Spray Pump**

### **GT096 Polyspray 2**

This pressurized spray bottle holds more solution than the 32 oz. bottles and reduces "finger-fatigue," eliminating the need for pumping while spraying via a simple trigger. Handy for large windows and long-duration sprays. Has an adjustable spray nozzle.

### **GT101N Stainless Steel 5 Gallon Sprayer**

Deluxe pressure sprayer holds up to 5 gallons of mounting solution in a stainless steel tank. Hose can reach up to 15' in length. Fill with solution and pressurize with air from any compressor. Curly, flexible hose reaches into cars or stretches to go up a ladder with you.

### **GT101-HG 25' Replacement hoze and spray gun for GT101N.**

### **GT101-H Replacement spray gun for GT101N.**

### **GT094 Replacement Nozzle for 3 Gallon Sprayer**

### **GT102-OP Replacement Pump for BLACK 3 Gallon Sprayer**

### **GT102 3 Gallon Pressure Sprayer**

Stores either window cleaner or application solution. Essential for those big commercial jobs. Long 13' hose allows great mobility and large capacity gives uninterrupted and fatigue-free installation. Utilizes a GT094 Nozzle that features a brass fan-type spray tip. GT102P Replacement Pump for ORANGE 3 Gallon Sprayer.

### **GT989 7 Gallon Twin Sprayer**

Perfect for shops or large commercial jobs, this 7 gallon sprayer includes a cart and two 25' coiled hoses with guns. No more need for an air compressor or constantly pumping tanks. Use only with GFCI protected circuits. (120 Volt Use)

### **GT1008 Impact 2 Quart Sprayer**

Pressurized spray bottle holds ½ gallon and reduces "finger-fatigue," eliminating the need for pumping while spraying via a simple trigger. Has adjustable spray nozzle.







**GT070**



**GT071**



**GT072**



**GT085**

**GT070** Low Lint Wipes

**GT071** Virtually "Lint Free" Reusable Wipes

**GT072** Wipe Dispenser

For use with GT070

**GT085** White Scrub Pad

Great for cleaning windows prior to installation.

**GT085 THK** 1" Thick Scrub Pad 6"x9"

Great for cleaning windows prior to installation.  
Not pictured.



*Tool Tip:*

low lint or wipes are a necessity for quality window film installations. Absorbent wipes are ideal for cleaning windows and covering hard cards.

**GT160** 19 oz Film Guard

**GT164** Sprayway Adhesive Remover

**GT715** Sprayway Glass Cleaner

**GT716** Plexus Plastic Polish

Anti-static plastic polish - safe for all window films. Leaves behind a protective sheen on any plastic surface.

**GT733** Dirt-Off

1 quart concentrate cleaning solution

**GT714** X-100 Mounting Solution

Not to be used with bronze flat glass films.

**GT162P** Pink Adhesive Remover

**GT735** Film-On

1 quart concentrate mounting solution

**\*\* Be careful when using GT164 and GT162P, they contain chemicals that may damage car interiors.**



*Tool Tip:*

After installing film, be sure to clean and polish it with GT160 Film Guard. It is specifically designed for window films and is a great add-on.



**GT160**



**GT164**



**GT715**



**GT716**



**GT733**



**GT714**



**GT162P**



**GT735**

**GT822****GT821****GT1002****GT1002-CH****GT904****GT910 (60")****GT911 (72")****GT822 72" Box Slitter Channel**

72" aluminum U-channel for sliding over the edge of a film box-top to serve as a straight edge when making horizontal cuts (across the web width) after pulling film out to desired length. Handy for in-field work. Saves the cost of more expensive film cutters.

**GT821 Blade Holder for GT822****GT910 60" Film Handler - Includes Metric and Imperial measurements****GT911 72" Film Handler - Includes Metric and Imperial measurements**

Note: Ladder not included

**GT1002 Clean Cut Box Slitter**

An economical slitter assembly. Available in 36", 48", 60" & 72" (Cutter head sold separately).

**GT1002-CH Clean Cut Cutter Head Assembly**  
Cutter head assembly for the clean cut box slitter.**GT904 3" Roller Assembly**

Comes Standard on FilmHandler sold as pairs (2).



*Tool Tip:*

The GT910 and GT911 film slitters will reduce waste, save labor and help complete jobs in a more timely manner. They can also be wall mounted for use in automotive applications.

**GT943 Filmhandler Replacement Blades****GT940 Filmhandler Repair Kit****GT912 Filmhandler Cutter Assembly****GT986 Filmhandler Blade Holder****GT913 12" Filmhandler Riser Assembly for Security Film with 6" cores****GT942 1/4" 3" Cutter Shim****GT941 1/8" 3" Cutter Shim****GT1012 1/4" Cutter Shim for 6" Hubs**  
Sold as eaches (1)**GT1013 1/8" Cutter Shim for 6" Hubs**  
Sold as eaches (1)**GT943****GT940****GT912****GT986****GT913****GT942 (1/4")****GT941 (1/8")****GT1012****GT1013**

*Tool Tip:*

Keep film from "telescoping" with a film cutter shim. It fills the gaps that may exist between the 3" hubs and film, insuring a correct fit. You can use as many as needed, or combine a 1/4" thick shim with a 1/8" thick shim.



**145 Mountain Brook Dr.  
Canton, GA 30115  
www.gditools.com  
877-GDI Tool (434-8665)  
or Local (770) 345-1275  
Fax (770) 345-2394  
admin@gditools.com**

